Approved for use through 07/31/2006, OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are require	ed to respond to a collection of informa	ation unless it contains a valid OMB control number.				
Request	Application Number	10/633,231				
for	Filing Date	02 August 2003				
Continued Examination (RCE) Transmittal	First Named Inventor	Coppens				
Address to: Mail Stop RCE	Art Unit	3673				
Commissioner for Patents P.O. Box 1450	Examiner Name	Safavi				
Alexandria, VA 22313-1450	Attorney Docket Number	QFIX-3				
This is a Request for Continued Examination (RCE) under 37 CFR 1.114 of the above-identified application.						

Request for Continued Examination (RCE) practice under 37 CFR 1.114 does not apply to any utility or plant application filed prior to June 8,

1555, 0	i to any	design application. See instruction sheet for RCES (not to be submitted to t	the USPTO) on page	2.		
a	1. Submission required under 37 CFR 1.114 Note: If the RCE is proper, any previously filed unentered amendments and amendments enclosed with the RCE will be entered in the order in which they were filed unless applicant instructs otherwise. If applicant does not wish to have any previously filed unentered amendment(s) entered, applicant must request non-entry of such amendment(s).					
а	. 🔽	Previously submitted. If a final Office action is outstanding, any amendments filed after the final Office action may be considered as a submission even if this box is not checked.				
	i.	i. Consider the arguments in the Appeal Brief or Reply Brief previously filed on				
l	li.	Other				
b	. 🔽	Enclosed				
	1.	Amendment/Reply iii. Infor	rmation Disclosure St	tatement (IDS)		
	ii.	Affidavit(s)/ Declaration(s) iv. Othe	er			
2.	/liscella	aneous				
(-	()		der 37 CED 1 103(a)	for a		
a	Suspension of action on the above-identified application is requested under 37 CFR 1.103(c) for a period of months. (Period of suspension shall not exceed 3 months; Fee under 37 CFR 1.17(i) required)					
b	. 🔲	Other		(i) required)		
3.	Fees	The RCE fee under 37 CFR 1.17(e) is required by 37 CFR 1.114 when the	DOE :- 61-4			
J. (avadit and a second		
a	The Director is hereby authorized to charge the following fees, any underpayment of fees, or credit any overpayments, to Deposit Account No I have enclosed a duplicate copy of this sheet.					
	i.	RCE fee required under 37 CFR 1.17(e)				
	ii.	Extension of time fee (37 CFR 1.136 and 1.17)				
	iii.	Other				
b		Check in the amount of \$encle	losed			
c	. 🔽	Payment by credit card (Form PTO-2038 enclosed)				
WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.						
Signatu	<u></u>	SIGNATURE OF APPLICANT, ATTORNEY, OR AGE				
	Print/Type	many grong	Date Date	50ctobe(2006		
Traine (пиотуре	Brian A. Gomez /	Registration No.	44,718		
CERTIFICATE OF MAILING OR TRANSMISSION						
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mall Stop RCE, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450 or facsimile transmitted to the U.S. Patent and Trademark Office on the date shown below.						
Signature		Briag A. Gomez				
Name (P	rint/Type)	Garan & Souls	Date 5 Octob	200 lo		
This colle	ection of it	oformation is required by 3V CER 1.1 WA The information is required to obtain or retain	n a banafit by the nublic	which is to SIA/ the HODES		

This collection of information is required by 3 F CFR 1.1749. The information is required to obtain or retain a benefit by the public which is to file (and by the USP10 to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete. including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop RCE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. PTO/SB/22 (12-04)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)			Docket Number (Optional)			
FY2005 (Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).)			QFIX-3			
ilaaA	ation Number 10/633.231	Filed 2	2 August 2003			
For Indexing Positioning System For Accurate and Repetitive Positioning of Patients in a Multimodal Environment						
Art U	it 3673	Examiner	M. Safavi			
This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a reply in the above identified application.						
The	equested extension and fee are as follows (check time period desired an	d enter the app	propriate fee below):			
	<u>Fee</u> <u>Sm</u>	all Entity Fee				
	One month (37 CFR 1.17(a)(1)) \$120	\$60	\$			
	Two month (37 CFR 1.17(a)(2)) \$450	\$225	\$			
	Three month (37 CFR 1.17(a)(3)) \$1020	\$510	\$ <u>510.00</u>			
	Four month (37 CFR 1.17(a)(4)) \$1590	\$795	\$			
	Five month (37 CFR 1.17(a)(5)) \$2160	\$1080	\$			
	Applicant claims small entity status. See 37 CFR 1.27.					
	A check in the amount of the fee is enclosed.					
\boxtimes	Payment by credit card. Form PTO-2038 is attached.					
	The Director has already been authorized to charge fees in this applicat	on to a Deposi	t Account.			
The Director is hereby authorized to charge any additional fees which may be required, or credit any overpayment, to Deposit Account Number I have enclosed a duplicate copy of this sheet.						
WARNING: Information on this form may become public. Credit card information should not be included on this form.						
	Provide credit card information and authorization on PTO-2038					
I am the applicant / inventor.						
assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed (Form PTO/SB/95).						
	attorney or agent of record. Registration Number	<u>14,718</u>				
attorney or agent under 37 CFR 1.34.						
	Registration number if acting under 37 CFR 1.34		1			
	Signature	5 Oct	000 2006 Date			
J J						
	Brian A. Gomez Typed or printed name		(302) 351-3323			
Typed or printed name Telephone Number NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.						
\boxtimes	Total of One forms are submitted.					

This collection of information is required by 37 CFR 1.36(a). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 6 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN THE APPLICATION OF

Daniel D. Coppens, et al. DOCKET NO.: QFIX-3 USA

SERIAL NO.: 10/633,231 EXAMINER: M. SAFAVI

FILED: 02 August 2003 ART UNIT: 3673

CONFIRMATION NO.: 2448

TITLE: Indexing Positioning System For Accurate and Repetitive Positioning

of Patients in a Multimodal Environment

RESPONSE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Advisory Action dated July 13, 2006, the following amendment and remarks are submitted for the above-identified application.

Claim Amendments:

- (withdrawn) A patient support device comprising a top surface, a bottom surface, two
 sides and at least two sidewalls; wherein the first side contains an integral indexing
 means and the second side is free of indexing means; and wherein the integral
 indexing means comprises at least one positioning feature.
- 2. (withdrawn) A patient support device of Claim 1 wherein the positioning feature is at least one selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar.
- (withdrawn) A patient support device of Claim 1, wherein the top surface extends laterally beyond at least one sidewall, thereby forming a lip.
- 4. (withdrawn) A patient support device of Claim 1, wherein at least one sidewall is chamfered with respect to the top surface.
- (withdrawn) A patient support device of Claim 1, wherein at least one sidewall is substantially perpendicular with respect to the top surface.
- 6. (withdrawn) A patient support device of Claim 1, further comprising at least one accessory device removably secured to at least one positioning feature.
- 7. (withdrawn) A patient support system comprising;
 - a) a patient support device comprising a top surface, a bottom surface, two sides and at least two sidewalls,
 - an integral indexing means comprising at least one positioning feature on a first side,
 - c) a second side that is free of positioning features, and
 - d) at least one accessory device removably secured to at least one positioning feature.
- 8. (withdrawn) A patient support system of Claim 7, further comprising an accessory device adaptor, wherein the accessory device adaptor is mateably secured to the patient support device using at least one positioning feature on the first side and wherein the at least one accessory device is removably secured to the accessory device adaptor.

- (withdrawn) A patient support system of Claim 8, wherein the accessory device adaptor provides an accurate and repeatable interface between the patient support device and the at least one accessory device.
- (withdrawn) A patient support system of Claim 7, wherein the accessory device can be
 precisely, securely and repeatably attached and removed from the patient support
 device.
- 11. (withdrawn) A patient support system of Claim 7, for accurately and repeatably immobilizing a patient for diagnostic imaging or treatment.
- 12. (canceled)
- 13. (withdrawn) A patient support surface of Claim 7, wherein the at least one positioning feature on the first side is independently selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar.
- (withdrawn) A patient support system of Claim 8, wherein the accessory device adaptor has two opposing ends and further comprises;
 - a) an attachment feature on the first end of the adaptor for mateably joining the adaptor to the at least one positioning feature on the first side,
 - an element on the second end in contact with the second side of the patient support device, and
 - an attachment means for mateably joining and securing an accessory device to the accessory device adaptor.
- 15. (withdrawn) A patient support system of Claim 14, wherein the attachment feature is at least one selected from the group consisting of a clamp, cam lock, interference fit clip, pin, post and bar.
- 16. (withdrawn) A patient support system of Claim 15, wherein the attachment feature is incorporated into at least one positioning feature.
- 17. (previously presented) A patient support device comprising a top surface, a bottom surface, two sides, at least two sidewalls and an integral indexing means; wherein the integral indexing means comprises at least one positioning feature on the first side and at least one positioning feature on the second side, wherein the positioning feature on each of the sides is at least one independently selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar, and wherein the at least one positioning feature on the first side is asymmetrically spaced from the at least one positioning feature on the second side such that the area directly opposing the at least one positioning feature on the first side and the at least one positioning feature on the second side is free of a positioning feature.

- 18. (canceled)
- 19. (original) A patient support device of Claim 17, wherein the top surface extends laterally beyond at least one sidewall, thereby forming a lip.
- 20. (withdrawn) A patient support device of Claim 17, wherein at least a portion of one sidewall is substantially perpendicular with respect to the top surface.
- 21. (original) A patient support device of Claim 17, wherein at least a portion of one sidewall of the patient support device is chamfered with respect to the top surface.
- 22. (original) A patient support device of Claim 17, further comprising at least one accessory device removably secured to at least one positioning feature.
- 23. (original) A patient support system of Claim 17, further comprising an accessory device adaptor, wherein the accessory device adaptor has two opposing ends and further comprises;
 - a) an attachment feature on the first end of the adaptor for mateably joining the adaptor to the at least one positioning feature on the first side,
 - b) an element on the second end in contact with the second side of the patient support device, and
 - an attachment means for mateably joining and securing an accessory device to the accessory device adaptor.
- 24. (original) A patient support system of Claim 23, wherein the attachment feature is at least one selected from the group consisting of a clamp, cam lock, interference fit clip, pin, post and bar.
- 25. (previously presented) A patient support device comprising a top surface, a bottom surface, two sides, at least two sidewalls, and an integral indexing means for accurate and repeatable patient positioning, wherein at least two sidewalls are chamfered and wherein the indexing means comprises at least one positioning feature on the first side and at least one positioning feature on the second side, wherein the positioning feature on each of the sides is at least one independently selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar, and wherein the at least one positioning feature on the first side is asymmetrically spaced from the at least one positioning feature on the second side such that the area directly opposing the at least one positioning feature on the first side and the at least one positioning feature on the second side such that the area
- 26. (original) A patient support device of Claim 25, wherein the integral indexing means comprises at least one selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar.

- 27. (canceled)
- 28. (previously presented) A patient support device of 25, wherein the positioning features on the sides are independently selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar.
- 29. (original) A patient support device of Claim 25, wherein the top surface extends laterally beyond at least one sidewall, thereby forming a lip.
- 30. (original) A patient support device of Claim 29, wherein the integral indexing means is contained in the lip.
- 31. (withdrawn) A patient support device of Claim 26, wherein the integral indexing means is contained in the chamfered sidewalls.
- 32. (withdrawn) A patient support device of Claim 26, wherein the integral indexing means is contained in the chamfered sidewall but does not extend from the top surface to the bottom surface of the device.
- 33. (original) A patient support device of Claim 25, further comprising at least one accessory device removably secured to at least one positioning feature.
- 34. (original) A patient support system of Claim 25, further comprising an accessory device adaptor, wherein the accessory device adaptor has two opposing ends and further comprises;
 - a) an attachment feature on the first end of the adaptor for mateably joining the adaptor to the at least one positioning feature on the first side,
 - an element on the second end in contact with the second side of the patient support device, and
 - an attachment means for mateably joining and securing an accessory device to the accessory device adaptor.
- 35. (original) A patient support system of Claim 34, wherein the attachment feature is at least one selected from the group consisting of a clamp, cam lock, interference fit clip, pin, post and bar.
- 36. (withdrawn) A patient support device comprising a top surface, a bottom surface, a first side and a second side, at least two sidewalls and an integral indexing means, wherein the integral indexing means is incorporated into at least one surface of the device and wherein, the integral indexing means is at least one indexing groove and the at least one indexing groove reaches from the first side to the second side.
- 37. (canceled)

- 38. (withdrawn) A patient support device of Claim 36, wherein the integral indexing means are multiple indexing grooves and the indexing grooves are placed along the length of the patient support device at defined intervals.
- 39. (withdrawn) A patient support device comprising a top surface, a bottom surface, two sides, at least two sidewalls and an integral indexing means, wherein the integral indexing means is incorporated into at least one surface of the device; and at least one transverse groove on at least one surface of the support device wherein the transverse groove runs lengthwise along the support device.
- 40. (withdrawn) A patient support device of Claim 39, wherein the at least one transverse groove is located on the opposite surface from the at least one indexing groove.
- 41. (currently amended) A patient support device, comprising a top surface, a bottom surface, two sides, at least two sidewalls and an integral indexing means, wherein the integral indexing means is incorporated into at least one surface of the device and the integral indexing means is at least one indexing groove, wherein the indexing groove is a continuous groove that runs the length or width of the device and wherein the top surface of the support device extends laterally beyond at least one sidewall, thereby forming a lip.
- 42. (previously presented) A patient support device of Claim 41, wherein at least one sidewall of the support device is chamfered with respect to the top surface.
- 43. (previously presented) A patient support device of Claim 41, further comprising at least one accessory device removably secured to at least one positioning feature.
- 44. (previously presented) A patient support system of Claim 41, further comprising an accessory device adaptor, wherein the accessory device adaptor is mateably secured to the patient support device using at least one indexing groove on at least one surface and wherein the at least one accessory device is removably secured to the accessory device adaptor.
- 45. (original) A patient support system of Claim 44, wherein the accessory device adaptor has two opposing ends and a positioning feature and further comprises;
 - a) an attachment feature for positioning the adaptor to the at least one indexing groove,
 - b) an element on at least one end in contact with a sidewall of the patient support device, and
 - an attachment means for mateably joining and securing an accessory device to the accessory device adaptor.

- 46. (original) A patient support system of Claim 45, wherein the attachment feature is at least one selected from the group consisting of a clamp, cam lock, interference fit clip, pin, post and bar.
- 47. (withdrawn) A patient support device of claim 39, wherein the integral indexing means comprises at least one positioning feature and the at least one positioning feature is at least one selected from the group consisting of a notch, slat, indentation, cutout, scallop, groove, hole, protrusion, tab, pin and bar.

REMARKS

In response to the July 13, 2006 Advisory Action, applicant's submit a Request for Continued Examination along with an amendment to claim 41. In addition to the present amendment, please enter applicant's amendment filed July 5, 2006.

Prior amendments and the current amendment to claim 41 should obviate any outstanding rejections.

Date: 5 October 2006

In view of the above amendments and remarks, Claims 17-19, 21-26, 28-30, 33-35 and 41-46 are considered to represent a novel and unobvious advance in the art. Prompt issuance of a Notice of Allowance for these claims is in order and such action is requested. If any issues remain outstanding, the Examiner is urged to contact the undersigned agent to expedite their resolution.

Respectfully submitted,

Brian A. Gomez

Attorney for Applicants Registration No. 44,718

Gomez International Patent Office 1501 N. Rodney Street, Suite 101

Wilmington, DE 19806 Telephone: (302) 351-3323

Facsimile: (302) 351-8456

Email: bgomez@gomez-ipo.com